




- Designed to meet the requirements of most commercial kitchens
- Incorporates the principle of “displacement ventilation” for make-up-air
- Modular components allow added flexibility for future changes
- Unique clip-in feature of extract cassettes facilitates simpler removal for cleaning
- All extract plenums in the ceiling void are segregated from the building fabric
- No more haunts for grease and bacteria in open ceiling voids
- Lighting to 500 lux at worksurface height
- Can be mounted at any height between 2400 mm and 3500 mm.
- A minimum 300 mm deep void is required above the ceiling to accommodate plenum boxes, ductwork, etc.

The modular ceiling system with facilities for grease extraction, make-up-air and lighting. This is a ‘closed’ system.


Modifications & Options

- Vertical services columns
- Fire Suppression
- Trims around obstructions
- Complete system including ductwork, fans etc.
- Emergency lighting
- Fire rated enclosures
- UV-C available behind extract cassettes


Section through



Range of components



Typical cassette detail (with removeable core)



Technical Specification

The Cyclocell Ventilated Ceiling is of the modular cassette type. It is based around a 600 mm x 600 mm grid with 500 mm x 500 mm removable cassettes. It is constructed from satin-finished stainless steel (1.2 mm and 1.0 mm thick). The plenum boxes are constructed

from 1.0 mm galvanised sheet steel. Structural support is effected by vertical drop rods supporting a series of 3 m long primary mullions with interlocking cross mullions completing the support frame.

Notes



www.halton.com/foodservice

France

Halton SAS
Zone Technoparc Futura
CS 80102
62402 Béthune Cedex
Tel. +33 (0)1 80 51 64 00
Fax +33 (0)3 21 64 55 10
foodservice@halton.fr
www.halton.fr

Germany

Halton Foodservice GmbH
Tiroler Str. 60
83242 Reit im Winkl
Tel. +49 8640 8080
Fax +49 8640 80888
info.de@halton.com
www.halton.de

USA

Halton Co.
101 Industrial Drive
Scottsville, KY 42164
Tel. +1 270 2375600
Fax + 1 270 2375700
info@haltoncompany.com
www.haltoncompany.com

Asia Pacific

Halton Group Asia Sdn Bhd
PT 26064
Persiaran Teknologi Subang
Subang Hi-Tech Industrial Park
47500 Subang Jaya,
Selangor Malaysia
Tel. +60 3 5622 8800
Fax +60 3 5622 8888
sales@halton.com.my
www.halton.com

United Kingdom

Halton Foodservice Ltd
11 Laker Road
Airport Industrial Estate
Rochester, Kent ME1 3QX
Tel. +44 1634 666 111
Fax +44 1634 666 333
foodservice@halton.co.uk
www.halton.co.uk

Japan

Halton Co. Ltd.
Hatagaya ART-II 2F
1-20-11 Hatagaya
Shibuya-ku
Tokyo 151-0072
Tel.+ 81 3 6804 7297
Fax + 81 3 6804 7298
salestech.jp@halton.com
www.halton.jp

Canada

Halton Indoor Climate
Systems, Ltd.
1021 Brevik Place
Mississauga, Ontario
L4W 3R7
Tel. + 905 624 0301
Fax + 905 624 5547
info@haltoncanada.com
www.haltoncanada.com

Middle-East

Halton Middle-East FZE
Jebel Ali Free Zone
Office/Warehouse S3B3WH08
P.O. Box 18116
Dubai
United Arab Emirates
Tel. + 971 (0)4 813 8900
Fax + 971 (0)4 813 8901
sales@halton.ae
www.halton.com

The company has a policy of continuous product development, therefore we reserve the right to modify design and specifications without notice. Cyclocell is a registered trademark of Halton Foodservice Ltd. For more information, please contact your nearest Halton agency. To find it: www.halton.com/locations.